

Quick Start Guide

Blackjack®DX

PoE Servers Powered by DW Spectrum

State of the art hyper-optimized video management platform designed for ease, speed and efficiency.

Blackjack DX Linux Slim Desktop Server — Up to 80Mbps

DW-BJDX11XXT-LX



Default Login Information for DW Spectrum

Username: admin

Password: admin12345

Default login information for the server's OS

Username: dwuser

Password: Dw5pectrum

	WHAT'S IN THE BOX						
Blackjack DX™ server		1	Keyboard and mouse	a a a a a a a a a a a a a a a a a a a	1 set		
Quick start guide		1	Power cable		1		


NOTE: Download all your support materials and tools in one place.

- 1. Go to: http://www.digital-watchdog.com/support-download/.
- 2. Search your product by entering the part number in the '**Search by Product**' search bar. Results for applicable part numbers will populate automatically based on the part number you enter.
- 3. Click '**Search**'. All supported materials, including manuals, Quick start guides (QSG), software and firmware will appear in the results.

Attention: This document is intended to serve as a quick reference for initial setup. See the DW Spectrum[®] full manual for more information on features and functionality.



FRONT PANEL



Username: admin

Username: dwuser

Password: Dw5pectrum

SPECIFICATIONS

MODEL		DW-BJDX11xxT-LX			
Included IP licenses		4			
Form factor		Slim Desktop			
Operating s	ystem	Linux Ubuntu			
CPU		Intel Processor			
Memory		8GB			
Ethernet po	ort	2x 1G Ethernet (RJ45)			
System	Max video storage rate	80 Mbps			
Storage	Maximum HDD	2 x SATA HDD			
	Maximum storage	40TB			
Video-out	Outputs	1x true HD, 1 x DisplayPort, 1x D-Sub for system configuration. 1 display output at a time.			
	Resolution	True HD: 4K @60Hz, DisplayPort: 4K @60Hz, D-Sub: 1920x1280 @60Hz			
Preloaded \	/MS software	DW Spectrum Server			
Keyboard a	nd mouse	Included			
Power supp	ly	300W**			
Operating t	emperature and humidity	41°F-104°F (5°C-40°C), 20-90% RH			
Dimension ((WxDxH)	13.1" x 3.8" x 15.6" (334 x 97 x 402 mm)			
Other certif	ication	NDAA, TAA			
Warranty		5 year limited			


SETTING UP THE SERVER

STEP 1: Connect external devices, power and network.

1. Connect a monitor, USB keyboard, USB mouse and network cable to one of the Ethernet ports (B9 on the diagram). Configure the camera's network first, then configure the server's local network.

NOTE See page 2 for detailed back panel breakdown for each model.

- 2. Connect the server to an appropriate power source. A UPS system rated for 750VA or higher per PSU is recommended.
- Connecting the power cable to a live power source may turn on the server automatically. If the server does not turn on automatically, press the power button on the front of the server (F1 on the diagram).



1. Open Settings and go to Details > Date & Timmetor

STEP 2:

_ 赤 📢 U	-	Q Settings =	Date à Time
٩٥		O Mouse & Touchpad Keyboard Shortcuts Printers	Automatic hate & Time Respiration of the area Automatic Time Zone Respirational or even could ad elevent avers
Intel Ethernet Connected Intel Ethernet Connected Image: Settings	_	Removable Media Golor Region & Language	Date 6. Time 16 February 2023, 10.38 Time Zone PST (Los Angeles, United States)
		Region & Language Tuniversal Access A Users	Time Format 24-hour •
		Default Applications Date&Time About	

2. Turn OFF Automatic Date & Time and Automatic Time Zone

Automatic Date & Time Requires internet access		
Automatic Time Zone Requires location services enabled and internet access		\bigcirc
Date & Time	16 Februar	/ 2023, 10:39
Time Zone	PST (Los Angeles, Ur	nited States)
Time Format	:	24-hour 👻

- 3. Click Date & Time and set correct date and time.
- 4. Click Time Zone and set to correct Time zone. (Type one of the largest cities in the time zone).





5. Close Settings.

STEP 3: Configure network

Please have the following information ready before starting the network configuration.


	Camera network	Local network (LAN)
IP address		
Subnet mask / Netmask		
Default gateway / Gateway	N/A	
DNS servers	N/A	

* Camera network and local network cannot be on the same network.

NOTE The Blackjack server's network settings are set to DHCP by default.

NOTE If you are not sure what information to enter, contact your Network Administrator or Internet Service Provider.

1. Open Settings > Network



2. Click Setting of the Realtek Ethernet.



- Change to Manual then enter Address, Netmask , Gateway.
 * Do not enter Gateway information if there is no Gateway in this network.
- 4. Click Apply to save.

ancel	Wired App				
etails Identity	/ IPv4 IPv6 Se	ecurity			
v4 Method	Automatic (DHCP)	C Link-Local	Only		
	 Shared to other compu 	ters			
ddresses Address	Shared to other compu Netmask	Gateway			
			Ê		

5. Restart the connection by switching OFF then turn ON. If the connection is off, connect the network cable.

Connected - 1000 Mb/s

- 6. Click Settings of the Intel Ethernet.
- 7. Change the settings if needed to access the Internet and for remote access from a local network.
- 8. Click Apply to save.
- 9. Restart the connection by switching OFF then turn ON. If the connection is off, connect the network cable.

Connected - 1000 Mb/s	ON	۵
-----------------------	----	---

NOTE If you are not connecting to the Blackjack^{*} from the same network, you may be required to perform port forwarding on your router to access the server. Contact your Network Administrator or Installer for additional information

CONFIGURE CAMERAS USING DW IP FINDER

Refer to the camera's QSG to configure any DW® IP camera's IP address using DW IP finder.

SETTING UP DW SPECTRUM® MEDIA SERVER

Login: **admin** Password: **admin12345**

STEP 1: Login from the Blackjack server




- 1. Open the DW Spectrum client.
- 2. Click on the pre-configured server.
- 3. If it does not log in automatically, enter the default password and click **Connect**.



STEP 2: To rename the server

- 1. Right click on the server name in the resource list on the left side and click Server Settings...
- 2. Enter the new server name in the name field and click **OK**.





- Click the main menu icon in the upper-left corner of the DW Spectrum window, and click System Administration... 1.
- 2. Click the **Updates** tab. If the system needs to be updated, click on the **Update** button.

≡	New Layout 1 $ imes$	
	Connect to Another Ser	ver Ctrl+Shift+C
	Disconnect from Server	
١	New	
	Open	
	Start Screen Recording	
s	System Administration.	Ctrl+Alt+A
	Jser Management	
	Local Settings	
	Audit Trail	
	Bookmark Log	

- * If the latest version is already installed, the message "The latest version is already installed" will be visible at the top.
- 3. Click **OK** when the update is complete.



STEP 4: **Activate licenses**


NOTE An active Internet connection is required.

- Click the main menu icon in the upper-left corner of the DW Spectrum window, and click System Administration... 1.
- 2. Click the Licenses tab. Enter the license key and click Activate License. * Click Activate Free License to use a free, four channel license for 30 days.
- 3. Click **OK** when all necessary license keys are activated.

General	User Management	Updates	Licenses	Email	Security	DW Cloud	Time Sync	Routing	Plugins	Advanced	DW DW Spe	ectrum Client	?	×
New Lice	ense tivation Manual A										\sim	License activated		
	Key RNSC-KOVB	-DGCG-SF0	GG					ට Paste	Activate	License				
	Activate Fr	ee License											0	<

STEP 5: **Configure recording**

- Right click a camera in the resource list on the left side and click Camera Settings... 1.
- 2. Click the **Recording** tab.



- 4. Set quality
- 5. Click and

apply the settings to any number of days and times.

3.

Quick Start Guide

- * Click All to apply the recording settings to the entire schedule.
- 6. Click OK when the necessary recording schedule is set. A red circle will appear next to the camera in the resource list.

NOTE: A Recording License is required to allow a camera to record to the archive.

STEP 6: Backup database

- 1. Click the main menu icon in the upper-left corner of the DW Spectrum window, and click System Administration...
- 2. Click the Advanced tab. Click Create Backup...
- 3. Select the location to save the database, and enter a name for the backup file. Click Save.

* Creating a database backup to extern	hal storage before and after every	Look in: ECAUsers\DWUSER\Documents	· ← → ↑ ₽; ≡ ₩
update is strongly recommended.		My Computer Name = DWUSER	Size Type Date Modified
		DWUSER	
General User Management Update	s Licenses Email Security DW Cloud Time Sync Routing Plugins Advanced		
	Create a backup of System management data, or restore System management data from an		
Backup and Restore	existing backup		
Logs Management	Create Backup Restore from Backup	File name: DB_Backup_02142025	Save
		Files of type: Database Backup Files (*.db)	✓ Cancel

NOTE: More information and instructions are available in the DW Spectrum user manual.

NOTE: This products is covered by one or more claims of the HEVC Patents listed at patentlist.accessadvance.com.



TROUBLESHOOTING TIPS

Problem	Possible solutions
My camera does not auto- discover	 Is the camera in the same LAN network as the media server? Is your camera compatible with DW Spectrum? (Refer to our website for full list of supported cameras.) Is the camera updated to its latest firmware? If your camera is integrated with DW Spectrum via ONVIF, make sure ONVIF is enabled on your camera. Try adding the camera manually. Try rebooting the server after installation. Allow up to 2 minutes for the server to map your network and detect all supported devices.
Videos are slow	 Are you accessing the same cameras from multiple clients? (LAN and WAN) Do you have a Gigabit network? Check your network speed.
My camera appears disconnected	 Under camera settings, make sure the user name and password are correct. Under the camera settings, use the 'Ping' button to make sure the camera is connected to the network properly. If you can connect to the camera's web viewer, try rebooting the camera and/or restore it to factory default. Make sure your camera is using the latest firmware available. Make sure that the camera is connected to the same network as the server. If you are connecting to a camera that is integrated with DW Spectrum via the ONVIF protocol (see list), make sure ONVIF is enabled. Make sure your user has permissions to view that specific camera.
l cannot get playback video from my camera	 Do you have network connection between client and server (in case server and client are not on the same machine)? Make sure your user has playback viewing permissions for the selected channel. Make sure the camera is set to a recording mode that would provide recorded video for the selected time and environment. On the server side, check the media server log to make sure the camera you are trying to watch has not been unexpectedly disconnected.
l get 'unauthorized' message on my camera	 Make sure the camera's user name and password are properly entered in the camera's general information under the camera settings menu. If necessary, try rebooting the camera to apply the camera's user name and password.

DW SPECTRUM SYSTEM REQUIREMENTS

Recommended specs for the full client

	Minimum	Recommended
Processor	Intel i5 8th gen processor (or higher)	Intel Core i7 8th gen processor (or higher)
System RAM	8GB RAM	16GB RAM
Video card	Integrated Intel® graphics	GeForce GTX 1650 or better
Network interface	2 x 1 Gbps	2 x 1 Gbps
OS Drive	256GB HDD	Dedicated 256GB SSD or larger
OS supported	Microsoft Windows OS (supported by both DW Spectrum* Server and Client • Windows 10 • Windows 11 • Windows Server 2016 • Windows Server 2019 • Windows Server 2022 **NOTE: DW Spectrum for Windows can be installed as a software bundle, or Ubuntu (Debian-based Linux) OS (supported by both DW Spectrum Server • Ubuntu 20.04 LTS "Bionic Beaver" • Ubuntu 20.04 LTS: "Focal Fossa" • Ubuntu 20.04 LTS: "Jammy Jellyfish" **NOTE: DW Spectrum for Ubuntu is only available for separate installations (Macintosh OS (supported only by the DW Spectrum Client. DW Spectrum Server • macOS 11.0, 11.1, 11.2 "Big Sur" • macOS 12 "Monterey" • macOS 12 "Monterey" • macOS 12 "Monterey" • macOS 12 "Monterey"	r the Server and Client software can be installed separately. and Client). (not bundled). erver is not available for macOS).

* Except Storage Server version

Important: OS not listed will be not be supported by DW* Tech Support.

Tel: +1 (866) 446-3595 Fax: (813) 888-9262



www.digital-watchdog.com sales@digital-watchdog.com